



Designed by Simon Pengelly, UNNIA is a collection of versatile chairs conceived from the idea to combine seats, backrests and frames of different colours and materials to achieve endless customised combinations. Further expanding the possibilities of use, the collection offers chairs with a range of bases and frames that increase customisation options and allow a broad spectrum of use in all kinds of spaces, contexts and decorative styles. The plastic seats and backrests are available in twelve colours that can be combined or upholstered in INCLASS sample card fabrics and leathers or with fabric supplied or specified by the customer. The result is a collection of versatile and highly customisable chairs with a refined, elegant and essential design.

DESIGNER: Simon Pengelly



Simon Pengelly was born in Henley in the UK in 1967. When he was eight he started making furniture in his father's furniture workshop and won a prize for cabinetmaking at the age of 15. He went on to study at Rycotewood College and Kingston Polytechnic. Pengelly started his professional career as a designer at Conran Design Group. Moving on to Habitat's design team in 1990 and later coordinating the design and development of their furniture range as a freelancer in the late 90's. Pengelly set up his London based studio in 1993 and the studio now works for renowned firms in the UK, Spain, Italy, Holland, Scandinavia and the United States. Pengelly's understanding of how people use and relate to the objects around them and his affinity with materials and manufacturing processes, combined with a passionate desire to create production furniture with 'soul', has resulted in award-winning furniture that contains a wonderful mix of understated design, timeless spirit and clever engineering

PLASTIC SEATS AND BACKRESTS

Composition: Polypropylene reinforced with fiberglass

Finishes: BOO, WO1, G42, M53, M56, L31, R22, Y42, V12, V14, B33, B36.

For special projects other colours can be produced. The separate seats and backrests allow for chairs to be made up of one colour or with combinations of two different colours.

A dedicated sample card is available to see the plastic colours and the possible combinations.

UPHOLSTERED SEATS

Foam: High resilience flexible polyurethane foam CMHR. Thickness is 15mm and foam density is 35 kg/m³.

Upholstery: Available in any of the leathers or fabrics of the INCLASS swatch cards and also with fabrics supplied or specified by the customer. The separate seats and backrests allow for to be upholstered with one fabric or with combinations of two different fabrics.



PLASTIC COLOURS



BOO
Black



WO1
White



G42
NCS3502 - R



M53
RAL 1019



M56
NCS7005-Y80R



L31
NCS6030-R30B



R22
RAL 3003



Y42
NCS2060-Y20R



V12
NCS3060-G70Y



V14
NCS6030-G70Y



B33
NCS2010-R90B



B36
NCS6020-R90B

FRAME VERSIONS

4 legs chair:

Ø16 x 2mm steel tube frame

Finishes: Available in thermoset polyester powder coating in any of the colours of the INCLASS swatch cards or in chrome.

Glides: Standard plastic glides for floor protection are included. Plastic glides with felt surface, recommended for hard and delicate surfaces, are available upon request.

Stackability: 10 chairs on floor and 20 on dolly.

4 legs armchair:

Ø16 x 2mm steel tube frame

Finishes: Available in thermoset polyester powder coating in any of the colours of the INCLASS swatch cards or in chrome.

Glides: Standard plastic glides for floor protection are included. Plastic glides with felt surface, recommended for hard and delicate surfaces, are available upon request.

Stackability: 6 armchairs on floor and 10 on dolly.

Rod sled chair:

12mm solid steel rod frame.

Finishes: Available in thermoset polyester powder coating in any of the colours of the INCLASS swatch cards or in chrome.

Glides: Standard plastic glides for floor protection are included. Plastic glides with felt surface, recommended for hard and delicate surfaces, are available upon request.

Stackability: 10 chairs on floor and 20 on dolly.

Rod sled base armchair:

The structure is manufactured with 12-mm and 14-mm solid steel rod. The armrest are made with polypropylene in BOO, WO1 or G42 color.

Finishes: Coated in heat-hardened polyester powder paint in any of the colours of the INCLASS metallic finishes chart or in chrome.

Pads: Includes standard plastic pads in contact with the floor. Optionally they can be fitted with pads with a felt surface, suitable for hard and delicate surfaces.

Stackability: 10 on the floor and 20 on a trolley.

4 spoke swivel base:

The spokes are made of 18mm steel rod.

Finishes: Available in thermoset polyester powder coating in any of the colours of the INCLASS swatch cards or in chrome.

Glides: Standard plastic adjustable glides for floor protection are included.

5 spoke swivel base with casters:

The spokes are made of 18mm steel rod.

Finishes: Available in thermoset polyester powder coating in any of the colours of the INCLASS swatch cards or in chrome.

The base has casters with double soft tread.

4 aluminium spokes swivel base:

Structure made from injection-moulded aluminium alloy.

Finishes: Available in a polished finish or coated in heat-hardened polyester paint in black or white.

5 aluminium spokes swivel base with casters and gas:

Structure made from injection-moulded aluminium alloy fitted with softtread castors.

Finishes: Available in a polished finish or coated in heat-hardened polyester paint in black or white.

Wooden swivel base:

The base is made with an inner steel structure and oak wood spokes coated in a natural, walnut or wenge varnish.

Optionally they can be lacquered in black, white or in any optional colour from the INCLASS chart.

Pads: Includes pads with a felt surface, suitable for hard and delicate surfaces.

METALLIC BASES



Black



White



Aluminum



Chrome



Dark green
RAL 6003



Mustard
RAL 1032



Vison
RAL 1019



Brown
RAL 7006




Grey
RAL 7036




Anthracite
RAL 7043



Red
RAL 3011




Rust brown




Rust grey

WOODEN BASES



Natural oak



Black



White



Dark green
RAL 6003



Mustard
RAL 1032



Vison
RAL 1019



Brown
RAL 7006





Grey
RAL 7036














Anthracite
RAL 7043



Red
RAL 3011





| | Height | Seat height | Arm height | Width | Seat width | Depth | Seat depth | Weight (kg) |
|--|--------|-------------|------------|-------|------------|-------|------------|-------------|
|  UNNO010 | 80,5 | 46 | – | 55 | 47 | 51 | 43 | 4,6 |
|  UNNO050 | 80,5 | 46 | 65,5 | 58 | 47 | 51 | 43 | 5,4 |

| | Height | Seat height | Arm height | Width | Seat width | Depth | Seat depth | Weight (kg) |
|---|--------|-------------|------------|-------|------------|-------|------------|-------------|
|  <p>UNNO020</p> | 80,5 | 46 | – | 55 | 47 | 49 | 43 | 6,2 |
|  <p>UNNO080</p> | 80,5 | 46 | 65,5 | 58 | 47 | 51 | 43 | 7,5 |
|  <p>UNNO055MA</p> | 80,5 | 46 | – | 47 | 47 | 50 | 43 | 8,1 |
|  <p>UNNO030</p> | 80,5 | 46 | – | 47 | 47 | 50 | 43 | 9,1 |
|  <p>UNNO060</p> | 80,5 | 46 | 65,5 | 56,5 | 47 | 50 | 43 | 10,6 |
|  <p>UNNO040</p> | 80,5 | 46 | – | 66 | 47 | 66 | 43 | 11 |
|  <p>UNNO070</p> | 80,5 | 46 | 65,5 | 66 | 47 | 66 | 43 | 12,5 |

| | Height | Seat height | Arm height | Width | Seat width | Depth | Seat depth | Weight (kg) |
|--|--------------|-------------|--------------|-------|------------|-------|------------|-------------|
|  UNNO035 | 80,5 | 46 | – | 47 | 47 | 50 | 43 | 8,6 |
|  UNNO065 | 80,5 | 46 | 65,5 | 56,5 | 47 | 50 | 43 | 10,1 |
|  UNNO045 | 85,5 75,5 | 51 41 | – | 66 | 47 | 66 | 43 | 8,9 |
|  UNNO075 | 85,5 75,5 | 51 41 | 70,5 60,5 | 66 | 47 | 66 | 43 | 10,4 |

BENCH

The benches are produced with 2 to 5 seats. Any one of the seats can be changed for an auxiliary table. The crossbars are made from steel, with a profile featuring a 70x35-mm oval section. The feet are in injection-moulded aluminium. The structure can be coated in thermoset polyester paint in the colours, black, white or RAL 9006 aluminium.

| | Height | Seat height | Width | Seat width | Depth | Seat depth |
|---|--------|-------------|-------|------------|-------|------------|
|  | 80 | 44 | 277 | 47 | 52 | 43 |
|  | 80 | 44 | 220 | 47 | 52 | 43 |
|  | 80 | 44 | 163 | 47 | 52 | 43 |
|  | 80 | 44 | 106 | 47 | 52 | 43 |




ACCESORIES



Writing tablet:

It is foldable and can be dismantled. The cast aluminum joint has a polished finish. The writing board is made of 10mm hpl board in black colour. It is available for right and left-hand users. The writing tablet is available for:

- 4 legs chair.
- Rod sled chair.



Linking clips for sled base chairs:

Are made of polypropylene.



Transport dolly

CERTIFICATION & STANDARDS

- European standard UNE EN 16139 -2
- AIDIMA Quality Control Label



- The quality management system of INCLASS is certified in accordance with ISO 9001:2008 in all the design, manufacturing and sales procedures of its products.
- INCLASS production processes are certified according to environmental ISO 14.001:2004 quality standards and are carried out through the reduction of waste and energy consumption in order to minimise any impact on the environment.

WARRANTY

INCLASS MOBLES S.L. guarantees the products of the collection UNNIA against any manufacturing and materials defect up to a period of 5 years from the date of the invoice. All damages caused by misuse, accident as well as those having their cause on the lack of proper maintenance are excluded from this warranty. Natural attrition of fabric and upholstery foam is also excluded from this warranty. The customer must prove the date of purchase of the article with the invoice.

INCLASS replace or repair nonconforming products or components taking over the costs without any other liability.